


PART NO.

RFF-1476

REV	DESCRIPTION	DWN	DATE	APPROVED
-	ENGINEERING RELEASE	CZS	03/24/11	JDMc

**SPECIFICATIONS:**

IMPEDANCE: 75 Ohms
 FREQUENCY RANGE: 0-1 GHz
 WORKING VOLTAGE: 500 V rms max. @ sea level

#	DESCRIPTION	QTY	MATERIAL	FINISH
5	HEX NUT	1	ZINC	NICKEL
4	LOCK WASHER	1	FE	NICKEL
3	CONTACT	1	FE	NICKEL
2	INSULATOR	2	PE	---
1	BODY	1	ZINC	NICKEL

CUSTOMER
OUTLINE DRAWINGALL DIMENSIONS
ARE REFERENCE ONLYUNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
AND [MILLIMETERS]DRAWN
C. ZUNIGA 03/24/11
CHECKEDORJ DRAWN
C. ZUNIGA 03/24/11

PROPRIETARY AND CONFIDENTIAL

THIS DRAWING CONTAINS
 INFORMATION PROPRIETARY TO
 RF INDUSTRIES. ANY
 UNAUTHORIZED USE OF THIS
 DRAWING IS EXPRESSLY
 PROHIBITED WITHOUT WRITTEN
 PERMISSION FROM RF
 INDUSTRIES. ANY VIOLATION IS
 PUNISHABLE UNDER U.S.
 COPYRIGHT LAWS.

RFconnectors
 DIVISION OF RF INDUSTRIES, LTD.

7610 MIRAMAR RD.
 SAN DIEGO, CA 92126
 (858) 549-6340
 (858) 549-6345 FAX

F JACK TO F JACK

REAR MOUNT BULKHEAD ADAPTER

SIZE	CABLE GROUP	DWG NO.	REV
A	N/A	RFF-1476	---
SCALE: NTS	ENGINEERING ID: 000367	SHEET 1 OF 1	